Προσαρμοσίμο Καλουπι OTP Εφαρμογεάς - Οριζοντια & Καθετη Πτυχωση

Model No. JW-AP12



SPECIFICATIONS

Τυπος Καλουπιου	Οριζοντια & Καθετη Πτυχωση
Σχημα	U
Χρηση	Εφαρμογη Τερματικου
Συμβατοτητα	Μηχανη Πτυχωσης JST
Συσκευασια (εως 30kg)	Χαρτοκιβωτια
Συσκευασια (30-200kg)	Ξυλινο Κουτι Εξαγωγης
Συσκευασια (200kg+)	Φιλμ Φυσαλιδων & PE

Προσαρμοσίμο καλουπι τερματικου εφαρμογης OTP Οριζοντια και καθετα καλουπια πτυχωσης, JST Terminal Crimping Machine, OTP καλουπι σχηματος U, Terminal Machine Applicator, Otp Mold, Otp Terminal Mould, τερματικο καλουπι OTP Καλουπια OTP Οριζοντια και καθετα καλουπια πτυχωσης, τερματικο εφαρμοστη, μητρα, καλουπι OTP, οριζοντια και καθετα καλουπια
πτυχωσης 1, Για μηχανες κατω των 30 kg, θα τα συσκευασουμε με χαρτοκιβωτια.
2, Για μηχανες μεταξυ 30 κιλων και 200 κιλων, θα συσκευασουμε με ξυλινο κουτι εξαγωγης.
3, Για μηχανες ανω των 200 κιλων, θα τις συσκευασουμε με φιλμ φυσαλιδων και φιλμ PE.

PRODUCT | PARAMETERS

HOW TO MATCH THE MOLD BLADE OF THE TRANSVERSE TERMINAL

Transverse terminal 01

Transverse terminal : the axis direction of the terminal and the connecting terminal with an angle of 90 degrees





02 Transverse mold

The OTP transverse mold is the most commonly used mold in the wire harness processing industry. Its advantage lies in the ease of feeding and debugging. And the number of blades is small, easy to install. Equipped with two scale knobs to easily adjust the blade.



A TOTAL OF FOUR BLADES 03

Different terminals require different blades to crimp the terminals

Complete equipment display ▶

A pair of blades is provided on the mold, if you need more blades, you need to buy them separately



1.5Ton terminal machine

+



OTP Transverse mold

=




HOW TO MATCH THE MOLD BLADE OF
THE STRAIGHT SHAPE TERMINAL
STRAIGHT SHAPE TERMINAL
01
Straight terminal: a terminal with an angle of 0 degrees from the axial direction of the terminal.
02
STRAIGHT MOLD
The OTP straight mold knife set is composed of more than six blades. Four of them are conventional blades for riveting core wires and outer covers.
A TOTAL OF FOUR BLADES
03
Different terminals require different blades to crimp the terminals
Complete equipment display ▶
A pair of blades is provided on the mold, if you need more blades, you need to buy them separately
1.5Ton terminal machine
straight mold


HOW TO MATCH THE MOLD BLADE OF
THE SINGLE GRAIN MOULD
SINGLE TERMINAL
01
Single terminal: single terminal without connecting tape
02
SINGLE GRAIN MOULD
OTP single-grain molds are commonly used for crimping of single-grain pre-insulated terminals, ground terminals, spring-loaded terminals and other terminals. Installation and commissioning are extremely simple. Especially suitable for novice operations.
A TOTAL FO TWO BLADES
03
Different terminals require different blades to crimp the terminals
Complete equipment display ▶
A pair of blades is provided on the mold, if you need more blades, you need to buy them separately
1.5Ton terminal machine
Single grain mould

HOW TO MATCH THE MOLD BLADE OF THE SPECIAL TERMINAL

01 SPECIAL TERMINAL

Such as flag-shaped terminals, double-material terminals, terminals with material on the head of the terminal, etc.





02 CUSTOMIZED MOLD

After receiving the sample terminal, it is specially customized according to the terminal. 3-5 working days delivery

03 CUSTOM BLADE

Different terminals require different blades to crimp the terminals



PRODUCT | SIZE

TERMINAL MACHINE STRUCTURE




Four-point terminal machine display ▼
1.5Ton terminal machine
Four-point mold


TERMINAL MACHINE ACCESSORIES

六边形模具



四边形模具



上下B形冲压模



四点模具

